



# JOURNAL OF APPLIED PHYSIOLOGY

FEBRUARY 2009/Volume 106, Number 2

## INVITED EDITORIAL

- "Extra" force evoked by percutaneous muscle stimulation: mechanisms and potential therapeutic applications (see "High-frequency submaximal stimulation over muscle evokes centrally generated forces in human upper limb skeletal muscles," page 370)  
*R. K. Powers* 353
- Advancing femoral nerve stimulation into the stage of science (see "Comparison of electrical and magnetic stimulations to assess quadriceps muscle function," page 701)  
*F. Laghi* 356
- Fatigue in working muscles (see "Muscle fatigue examined at different temperatures in experiments on intact mammalian (rat) muscle fibers," page 378)  
*D. G. Allen* 358
- Invited editorial on "Acquired respiratory muscle weakness in critically ill patients: what is the role of mechanical ventilation-induced diaphragm dysfunction?" (see "Xanthine oxidase contributes to mechanical ventilation-induced diaphragmatic oxidative stress and contractile dysfunction," page 385)  
*L. A. Callahan* 360

---

## REVIEW

- Left ventricular torsion and recoil: implications for exercise performance and cardiovascular disease  
*B. T. Esch and D. E. R. Warburton* 362
- 
- High-frequency submaximal stimulation over muscle evokes centrally generated forces in human upper limb skeletal muscles  
*J.-S. Blouin, L. D. Walsh, P. Nickolls, and S. C. Gandevia* 370
- Muscle fatigue examined at different temperatures in experiments on intact mammalian (rat) muscle fibers  
*H. Roots, G. Ball, J. Talbot-Ponsonby, M. King, K. McBeath, and K. W. Ranatunga* 378
- Xanthine oxidase contributes to mechanical ventilation-induced diaphragmatic oxidative stress and contractile dysfunction  
*M. A. Whidden, J. M. McClung, D. J. Falk, M. B. Hudson, A. J. Smuder, W. B. Nelson, and S. K. Powers* 385
- Effects of self-contained breathing apparatus on ventricular function during strenuous exercise  
*M. D. Nelson, M. J. Haykowsky, J. R. Mayne, R. L. Jones, and S. R. Petersen* 395
- Chronic low-frequency rTMS of primary motor cortex diminishes exercise training-induced gains in maximal voluntary force in humans  
*T. Hortobágyi, S. P. Richardson, M. Lomarev, E. Shamim, S. Meunier, H. Russman, N. Dang, and M. Hallett* 403

(Continued)

Cover: The January through March 2009 Highlighted Topics series examines the physiology and pathophysiology of the hyperbaric and diving environments in a series of review articles written by a panel of international experts. This series was conceived and edited by Guest Editor David Pengergast and Coordinating Editor Claes Lundgren. We acknowledge Steve Graepel, illustrator of the cover design. This illustration is copyrighted by Steve Graepel and reproduced with permission.

(Contents continued)

Effects of static and dynamic training on the stiffness and blood volume of tendon in vivo <i>K. Kubo, T. Ikebukuro, K. Yaeshima, H. Yata, N. Tsunoda, and H. Kanehisa</i>	412
Anthropometry, CT, and DXA as predictors of GH deficiency in premenopausal women: ROC curve analysis <i>M. A. Bredella, A. L. Utz, M. Torriani, B. Thomas, D. A. Schoenfeld, and K. K. Miller</i>	418
Contribution of glycosaminoglycans to viscoelastic tensile behavior of human ligament <i>T. J. Lujan, C. J. Underwood, N. T. Jacobs, and J. A. Weiss</i>	423
Influence of priming exercise on pulmonary O <sub>2</sub> uptake kinetics during transitions to high-intensity exercise at extreme pedal rates <i>F. J. DiMenna, D. P. Wilkerson, M. Burnley, S. J. Bailey, and A. M. Jones</i>	432
Skeletal muscle growth in young rats is inhibited by chronic exposure to IL-6 but preserved by concurrent voluntary endurance exercise <i>P. W. Bodell, E. Kodesh, F. Haddad, F. P. Zaldivar, D. M. Cooper, and G. R. Adams</i>	443
New insights into ocular blood flow at very high altitudes <i>M. M. Bosch, T. M. Merz, D. Barthelmes, B. L. Petrig, F. Truffer, K. E. Bloch, A. Turk, M. Maggiorini, T. Hess, O. D. Schoch, U. Hefti, F. K. P. Sutter, J. Pichler, A. Huber, and K. Landau</i>	454
Diabetes impairs exercise training-associated thioredoxin response and glutathione status in rat brain <i>Z. Lappalainen, J. Lappalainen, N. K. J. Oksala, D. E. Laaksonen, S. Khanna, C. K. Sen, and M. Atalay</i>	461
Effect of acute resistance exercise and sex on human patellar tendon structural and regulatory mRNA expression <i>B. E. Sullivan, C. C. Carroll, B. Jemiolo, S. W. Trappe, S. P. Magnusson, S. Døssing, M. Kjaer, and T. A. Trappe</i>	468
Repeated-bout exercise in the heat in young athletes: physiological strain and perceptual responses <i>M. F. Bergeron, M. D. Laird, E. L. Marinik, J. S. Brenner, and J. L. Waller</i>	476
The effects of aerobic fitness and $\beta_1$ -adrenergic receptor blockade on cardiac work during dynamic exercise <i>M. N. Hawkins, Q. Barnes, S. Purkayastha, W. Eubank, S. Ogoh, and P. B. Raven</i>	486
Left ventricular contractile function is preserved during prolonged exercise in middle-aged men <i>J. M. Goodman, G.-M. Busato, E. Frey, and Z. Sasson</i>	494
Chronic low-dose aspirin therapy attenuates reflex cutaneous vasodilation in middle-aged humans <i>L. A. Holowatz and W. L. Kenney</i>	500
Differential regulation of gene expression in isolated tendon fascicles exposed to cyclic tensile strain in vitro <i>E. Maeda, J. C. Shelton, D. L. Bader, and D. A. Lee</i>	506
Basal and induced NO formation in the pharyngo-oral tract influences estimates of alveolar NO levels <i>A. Malinowski, C. Janson, L. Holm, L. Nordvall, and K. Alving</i>	513
Assessment of heterogeneous airway constriction in dogs: a structure-function analysis <i>D. W. Kaccka, R. H. Brown, and W. Mitzner</i>	520
Metabolomic investigation into variation of endogenous metabolites in professional athletes subject to strength-endurance training <i>B. Yan, A. Jiye, G. Wang, H. Lu, X. Huang, Y. Liu, W. Zha, H. Hao, Y. Zhang, L. Liu, S. Gu, Q. Huang, Y. Zheng, and J. Şjn</i>	531
Neuromuscular control in landing from supra-maximal dropping height <i>A. Galindo, J. Barthélemy, M. Ishikawa, P. Chavet, V. Martin, J. Avela, P. V. Komi, and C. Nicol</i>	539
Shifts in bone marrow cell phenotypes caused by spaceflight <i>M. T. Ortega, M. J. Pecaut, D. S. Gridley, L. S. Stodieck, V. Ferguson, and S. K. Chapes</i>	548

(Continued)

Locomotor exercise induces long-lasting impairments in the capacity of the human motor cortex to voluntarily activate knee extensor muscles <i>S. K. Sidhu, D. J. Bentley, and T. J. Carroll</i>	556
Skin blood flow and nitric oxide during body heating in type 2 diabetes mellitus <i>L. A. Sokolnicki, N. A. Strom, S. K. Roberts, S. A. Kingsley-Berg, A. Basu, and N. Charkoudian</i>	566
Effect of elevated local temperature on cutaneous vasoconstrictor responsiveness in humans <i>J. E. Wingo, D. A. Low, D. M. Keller, R. M. Brothers, M. Shibasaki, and C. G. Crandall</i>	571
Stress responses and baroreflex function in coronary disease <i>G. Deley, R. D. Lipman, J. P. Kannam, C. Bartolini, and J. A. Taylor</i>	576
Effects of spaceflight on murine skeletal muscle gene expression <i>D. L. Allen, E. R. Bandstra, B. C. Harrison, S. Thorng, L. S. Stodieck, P. J. Kostenuik, S. Morony, D. L. Lacey, T. G. Hammond, L. L. Leinwand, W. S. Argraves, T. A. Bateman, and J. L. Barth</i>	582
Hypophagia induced by glucocorticoid deficiency is associated with an increased activation of satiety-related responses <i>E. T. Uchoa, H. A. C. Sabino, S. G. Ruginsk, J. Antunes-Rodrigues, and L. L. K. Elias</i>	596
Normal breathing pattern and arterial blood gases in awake and sleeping goats after near total destruction of the presumed pre-Bötzinger complex and the surrounding region <i>K. L. Krause, H. V. Forster, T. Kiner, S. E. Davis, J. M. Bonis, B. Qian, and L. G. Pan</i>	605
Long-loop pathways in cardiovascular electroacupuncture responses <i>P. Li, S. C. Tjen-A-Looi, Z.-L. Guo, L.-W. Fu, and J. C. Longhurst</i>	620
Mice heterozygous for both $A_1$ and $A_{2A}$ adenosine receptor genes show similarities to mice given long-term caffeine <i>J.-N. Yang, O. Björklund, K. Lindström-Törnqvist, E. Lindgren, T. M. Eriksson, J. Kahlström, J.-F. Chen, M. A. Schwarzschild, I. Tobler, and B. B. Fredholm</i>	631

---

## INNOVATIVE METHODOLOGIES

Algorithm for transient response of whole body indirect calorimeter: deconvolution with a regularization parameter <i>K. Tokuyama, H. Ogata, Y. Katayose, and M. Satoh</i>	640
Continuous cardiac output and left atrial pressure monitoring by long time interval analysis of the pulmonary artery pressure waveform: proof of concept in dogs <i>D. Xu, N. B. Olivier, and R. Mulkamala</i>	651

---

## HIGHLIGHTED TOPIC

### The Physiology and Pathophysiology of the Hyperbaric and Diving Environments

<b>Review:</b> Two faces of nitric oxide: implications for cellular mechanisms of oxygen toxicity <i>B. W. Allen, I. T. Demchenko, and C. A. Piantadosi</i>	662
<b>Review:</b> Pulmonary gas exchange in diving <i>R. E. Moon, A. D. Cherry, B. W. Stolp, and E. M. Camporesi</i>	668
<b>Review:</b> Decompression to altitude: assumptions, experimental evidence, and future directions <i>P. P. Foster and B. D. Butler</i>	678
Effects of head and body cooling on hemodynamics during immersed prone exercise at 1 ATA <i>T. E. Wester, A. D. Cherry, N. W. Pollock, J. J. Freiburger, M. J. Natoli, E. A. Schinazi, P. O. Doar, A. E. Boso, E. L. Alford, A. J. Walker, D. M. Ugucioni, D. Kernagis, and R. E. Moon</i>	691
Comparison of electrical and magnetic stimulations to assess quadriceps muscle function <i>S. Verges, N. A. Maffioletti, H. Kerherve, N. Decorte, B. Wuyam, and G. Y. Millet</i>	701

(Contents continued)

Hyperbaric oxygen stimulates vasculogenic stem cell growth and differentiation in vivo <i>T. N. Milovanova, V. M. Bhopale, E. M. Sorokina, J. S. Moore, T. K. Hunt, M. Hauer-Jensen, O. C. Velazquez, and S. R. Thom</i>	711
Differential modulation of cerebellar climbing fiber and parallel fiber synaptic responses at high pressure <i>Y. Etzion, A. Mor, and Y. Grossman</i>	729

---

## VIEWPOINT

<b>Perspectives:</b> Evidence that reduced skeletal muscle recruitment explains the lactate paradox during exercise at high altitude <i>T. D. Noakes</i>	737
<b>Letters to the Editor:</b> Commentaries on Viewpoint: Evidence that reduced skeletal muscle recruitment explains the lactate paradox during exercise at high altitude <i>S. M. Marcora, B. Kayser, M. Amann, C. Lundby, P. D. Wagner, L. Nybo, B. Grassi, S. Perrey, J. J. van Lieshout, F. E. Marino, G. A. Brooks, and J.-P. Richalet</i>	739
Last Word on Viewpoint: Evidence that reduced skeletal muscle recruitment explains the lactate paradox during exercise at high altitude <i>T. D. Noakes</i>	745

---

## LETTERS TO THE EDITOR

Is a progressive recruitment of muscle fibers required for the development of the slow component of $\dot{V}O_2$ kinetics? <i>F. Borrani, D. Malatesta, and R. Candau</i>	746
Reply to Borrani, Malatesta, and Candau <i>B. Grassi, L. B. Gladden, M. C. Hogan, and J. A. Zoladz</i>	747

---

## CORRIGENDA

Corrigendum for Lagerquist et al. Volume 100, January 2006, p. 83–90	748
Corrigendum for Tesch et al. Volume 105, October 2008, p. 1382–1383	749
Corrigendum for Herspring et al. Volume 105, December 2008, p. 1889–1896	750