

## Contents

### Papers

- E. Arbabi, R. Boulic and D. Thalmann  
C. Magnier, O. Boiron, S. Wendling-Mansuy, P. Chabrand and V. Deplano  
G.N. Kawchuk, C. Decker, R. Dolan and J. Carey  
J.Z. Wu, K. Krajnak, D.E. Welcome and R.G. Dong  
M. Foissac, G.Y. Millet, A. Geysant, P. Freychat and A. Belli  
P.E. Paré, F.W. Chan, S. Bhattacharya and V.K. Goel  
Y.-X. Qin and H. Lam  
G.S. Lewis, T.L. Cohen, A.R. Seisler, K.A. Kirby, F.T. Sheehan and S.J. Piazza  
J. Foolen, C.C. van Donkelaar, P. Murphy, R. Huiskes and K. Ito  
N. Andarawis-Puri, E.T. Ricchetti and L.J. Soslowsky  
N. Peter Reeves, J. Cholewicki and K.S. Narendra  
A. Sassi, E. Rampinini, D.T. Martin and A. Morelli
- Short Communications*  
Yu.C. Yung, H. Vandenburg and D.J. Mooney  
A. Hemmerich, W. van der Merwe and C.L. Vaughan  
C.-M. Cheng, R.L. Steward Jr. and P.R. LeDuc  
S.R. Ward, M. Takahashi, T.M. Winters, A. Kwan and R.L. Lieber
- 91 **Fast collision detection methods for joint surfaces**  
100 **Nutrient distribution and metabolism in the intervertebral disc in the unloaded state: A parametric study**  
109 **Structural health monitoring to detect the presence, location and magnitude of structural damage in cadaveric porcine spines**  
116 **Analysis of the biodynamic interaction between the fingertip and probe in the vibrotactile tests: The influences of the probe/fingertip contact orientation and static indentation**  
125 **Characterization of the mechanical properties of backpacks and their influence on the energetics of walking**  
131 **Surface slide track mapping of implants for total disc arthroplasty**  
140 **Intramedullary pressure and matrix strain induced by oscillatory skeletal muscle stimulation and its potential in adaptation**  
146 ***In vivo* tests of an improved method for functional location of the subtalar joint axis**  
152 **Residual periosteum tension is insufficient to directly modulate bone growth**  
158 **Rotator cuff tendon strain correlates with tear propagation**  
164 **Effects of reflex delays on postural control during unstable seated balance**  
171 **Effects of gradient and speed on freely chosen cadence: The key role of crank inertial load**  
178 **Cellular strain assessment tool (CSAT): Precision-controlled cyclic uniaxial tensile loading**  
183 **Measuring three-dimensional knee kinematics under torsional loading**  
187 **Probing cell structure by controlling the mechanical environment with cell-substrate interactions**  
193 **A novel muscle biopsy clamp yields accurate *in vivo* sarcomere length values**



ELSEVIER

Available online at



ScienceDirect

www.sciencedirect.com



0021-9290(20090119)42:2;1-0